



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended.	Estimated population.	Total deaths from all causes.	Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Bombay	Aug. 2	977,822	658	51	38	1		4		10				3
Bradford	Aug. 13	295,865	72	4						1	1			4
Do	Aug. 20		77	13								1	1	1
Bristol	do	382,550	61	2								1		1
Budapest	Aug. 6	950,610								5	1	1	4	1
Do	Aug. 13									9	2			2
Calcutta	July 16	847,796	365	26	18	14		1						
Canton	July 2	1,009,000	110	5						2				
Do	July 9		110	10	2					3				
Do	July 16		130	12	8					5				
Do	July 23		125	10	10					2				
Do	July 30		140	10	7					3				
Chemnitz	Aug. 13	284,012	96	9								1	1	
Colombo	July 23	187,554	142	7						8				
Christiania	Aug. 20	250,000	51	8								2		1
Cologne	Aug. 13	512,881	162	16								1	6	4
Constantinople	Aug. 14	1,000,000	225	32					3	3	1	5		
Copenhagen	Aug. 6	455,000	148	19					1		1	1	1	2
Dresden	do	551,800	159	12					1				1	3
Do	Aug. 13	551,800	128	21					1	1	1	2		
Dundee	Aug. 20	170,206	42	2						1	1			
Durban	July 30	64,689	20	5								1		
Erfurt	Aug. 20	109,019	25	3							1	1		
Fort William	do	20,000								2				
Do	Aug. 29		9							1				
Frankfort-on-the-Main	Aug. 13	409,800	98										1	1
Guayaquil	July 16	75,000	51	12	2					1				
Do	July 23		56	10	1					2				
Do	July 30		74	14			1							
Do	Aug. 6		45	9			2			1				
Hamburg	Aug. 13	895,804	244	23						4		1	1	2
Hilo	do	3,500	5	3						1				
Hull	Aug. 20	280,006	97									1	1	1
Iquique	July 23	38,382								1				
Do	July 30			5						1				
Kobe	July 31	387,915	166							2				
Do	Aug. 7		178							1				
Königsberg	Aug. 13	244,200	105	9							1			
Kurrachee	July 13	130,000	72		1	1								
Leeds	Aug. 20	490,985	122	6									3	4
Leipzig	Aug. 13	590,329	166	27					1	1	2	1		
Liege	do	177,159	39	4									1	
Liverpool	Aug. 20	767,606	237	22							4	2	4	4
Lubeck	Aug. 13	96,000	26	3										
Magdeburg	July 30	278,563	68	1							1		1	
Do	Aug. 6		99	9									1	1
Manaos	do	50,000	36				6						1	
Moscow	July 30	1,500,000	889	66				4	9	3	15	20	11	3
Do	Aug. 6		859	65	1	6		4	4	4	15	18	15	1
Munich	Aug. 13	576,000	188	30						1	1			
Para	Aug. 20	185,000	89	11			7	3					2	
Penang	July 23	103,582	74	15						2				

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES (untabulated).

ALGERIA—*Bone*.—Month of July, 1910. Population 42,934. Total number of deaths from all causes 74, including typhoid fever 3, tuberculosis 8.

BERMUDA—*Hamilton*.—Two weeks ended August 9, 1910. Population 20,206. Total number of deaths from all causes 10. No deaths from contagious diseases.

BRAZIL—*Ceara*.—Month of June, 1910. Population 55,000. Total number of deaths from all causes 133, including typhoid fever 11, measles 25, tuberculosis 14.

DUTCH GUIANA—*Paramaribo*.—Month of July, 1910. Population, 36,496. Total number of deaths from all causes 93. No contagious diseases reported.

EAST AFRICA—*Lourenço Marquez*.—Month of June, 1910. Population, 10,000. Total number of deaths from all causes 64, including tuberculosis 8.

FORMOSA.—Four weeks ended July 16, 1910. Population, 3,132,335. Total number of deaths from all causes not reported. Sixteen deaths from typhoid fever, 1 death from smallpox, 2 deaths from diphtheria, and 2 from plague reported.

FRANCE—*Marseille*.—Month of July, 1910. Population 517,498. Total number of deaths from all causes 779, including typhoid fever 16, measles 12, scarlet fever 5, diphtheria 1, tuberculosis 115.

Nice.—Month of May, 1910. Population, 150,885. Total number of deaths from all causes 235, including typhoid fever 4, tuberculosis 30.

Roubaix.—Month of July, 1910. Population 121,115. Total number of deaths from all causes 163, including measles 6, diphtheria 1, tuberculosis 22.

GIBRALTAR.—Week ended July 10, 1910. Population 36,830. Total number of deaths from all causes 7, including smallpox 1. Week ended August 7, 1910. Total number of deaths 7, including typhoid fever 1.

GREAT BRITAIN.—Week ended July 16, 1910.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 11.4 per 1,000 of the population, which is estimated at 16,940,895.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 15.7 per 1,000 of the population, which is estimated at 1,151,790. The lowest rate was recorded at Drogheda, viz, 4.1, and the highest at Newry, viz, 25.2, per 1,000.

Scotland.—The deaths registered in eight principal towns correspond to an annual rate of 12.4 per 1,000 of the population which is estimated at 1,865,571. The lowest rate was recorded at Paisley, viz, 10, and the highest at Greenock, viz, 22. The total number of deaths from all causes was 449, including typhoid fever 1, measles 4, scarlet fever 6, diphtheria 5.

ITALY—*Genoa*.—Two weeks ended July 31, 1910. Population 279,163. Total number of deaths from all causes 186, including tuberculosis 26.

Month of June, 1910. Total number of deaths 204, including typhoid fever 2, measles 1, diphtheria 1, tuberculosis 31.

Milan.—Two weeks ended July 31, 1910. Population 900,000. Total number of deaths from all causes 85, including typhoid fever 19, measles 2, tuberculosis 63.

JAMAICA—Kingston.—Month of July, 1910. Population 48,500. Total number of deaths from all causes 139, including tuberculosis 12.

MALTA.—Two weeks ended July 9, 1910. Population, 215,879. Total number of deaths from all causes 191, including typhoid fever 2, smallpox 1, diphtheria 1, tuberculosis 6. Two weeks ended July 30, 1910. Total number of deaths 247, including typhoid fever 1, smallpox 2, tuberculosis 4.

SOUTH AFRICA—Johannesburg.—Two weeks ended June 25, 1910. Population 180,687. Total number of deaths from all causes 155, including typhoid fever 11, scarlet fever 1, tuberculosis 18.

SPAIN—Almeria.—Month of July, 1910. Population, 50,910. Total number of deaths from all causes 112, including typhoid fever 4, measles 2, diphtheria 3, tuberculosis 9.

Cádiz.—Month of July, 1910. Population, 69,382. Total number of deaths from all causes 124, including typhoid fever 1, scarlet fever 1, tuberculosis 23.

Seville.—Month of July, 1910. Population 154,315. Total number of deaths from all causes 401, including typhoid fever 1, smallpox 2, scarlet fever 3, diphtheria 4, tuberculosis 67.

VENEZUELA—La Guaira.—Two weeks ended July 31, 1910. Population 10,000. Total number of deaths from all causes 42, including typhoid fever 4, tuberculosis 5.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon-General,

United States Public Health and Marine-Hospital Service.